

Kaliber	Gewicht/Größe	Stk.	CLASSIC	EPRX	CEPRX
			CLASSIC (PB) - unbeschichtet, mit Wachs in der Nut geschmiert	EPRX - Boden ist unbeschichtet	CEPRX vollständig beschichtet
7,65 Browning	.32/78 .308 .309	500	<i>n/a</i>	36,8	40,3
.32	.32/78 .313 .314	500	32,8	36,8	40,3
	.32/100 .313 .314	500	35,3	38,8	42,3
9 Browning	.380/95 .356 .355	500	35,8	39,3	42,8
9mm Luger	9/115 .356 .355	500	32,3	35,8	39,3
	9/122 .356 .355	500	34,3	37,3	41,3
	9/124 .356 .355	500	34,3	37,3	41,3
	9/125 .356 .355	500	34,3	37,3	41,3
	9/130 .356 .355	500	34,8	37,8	41,8
	9/131 .356 .355	100	24,4	25,2	25,9
	9/135 .356 .355	250	17,8	19,55	21,3
	9/147 .356 .355	250	18,8	20,8	22,3
	9/152 .356 .355	250	<i>n/a</i>	21,05	22,8
9 .38 Super	9/145 .356 .357	250	18,8	20,8	22,3
	9/150 .356 .357	250	19,05	21,05	22,8
	9/154 .356 .357	250	<i>n/a</i>	21,3	23,55
	9/160 .356 .357	250	19,8	21,55	23,8
9 Makarov	9/93 .365	500	35,3	38,8	42,3
.38 Special	.38/105 .358 .357	500	30,3	34,8	37,8
	.38/148 .358 .357	250	18,8	20,8	22,3
	.38/158 .358 .357	250	19,8	21,55	23,8
	.38/165 .358 .357	250	20,3	22,05	24,05
	.38/180 .358 .357	250	21,55	23,8	25,55
	.38/185 .358 .357	250	<i>n/a</i>	24,05	25,8
	.38/230 .358 .357	250	27,3	29,55	31,05
.40 S&W	40/132.401.400.402	500	35,3	38,8	42,3
	40/140.401.400.402	250	18,55	20,3	22,05
	40/145.401.400.402	250	18,8	20,8	22,3
	40/150.401.400.402	250	19,05	21,05	22,8
	40/155.401.400.402	250	19,55	21,3	23,55
	40/165.401.400.402	250	20,3	22,05	24,05
	40/170.401.400.402	250	20,8	22,3	24,55

Kaliber	Gewicht/Größe	Stk.	CLASSIC	EPRX	CEPRX
			CLASSIC (PB) - unbeschichtet, mit Wachs in der Nut geschmiert	EPRX - Boden ist unbeschichtet	CEPRX vollständig beschichtet
	.40/180 .401.400.402	250	21,55	23,8	25,55
	.40/200 .401.400.402	250	24,05	25,8	27,55
	.40/220 .401.400.402	250	25,8	27,55	29,8
.41 AE	.41/225 .411	250	26,3	28,05	30,05
.44-40	.44-40/200 .427	250	24,05	25,8	27,55
	.44-40/240 .427	250	28,3	30,55	32,05
.44 Mag	.44/240 .430 .429	250	28,3	30,55	32,05
	.44/261 .430 .429	100	29,8	30,6	31,2
	.44/300 .430 .429	150			
.45ACP	.45/155 .452 .451	250	19,55	21,3	23,55
	.45/180 .452 .451	250	21,55	23,8	25,55
	.45/193 .452 .451	100	26,4	27,3	28,1
	.45/200 .452 .451	250	24,05	25,8	27,55
	.45/225 .452 .451	250	26,3	28,05	30,05
	.45/230 .452 .451	250	27,3	29,55	31,05
	.45/235 .452 .451	250	27,55	29,8	31,3
.45 LC	.45/200 .454 .452	250	24,05	25,8	27,55
	.45/250 .454 .452	250	30,05	31,55	33,55
.45-70 Gov	.45-70/300 .459	150			
	.45-70/405 .459	150			
	.45-70/500 .459	100	30,6	31,2	31,9
.50 AE	.50/330 .503 .501	150			
	.50/400 .503 .501	150			
.25-20	.25-20/85 .259	500	34,8	37,8	41,8
.32-20	.32-20/120.311.31 3.314	500	37,8	41,8	45,3
.30	.30/165 .309 .311	250	22,8	24,8	n/a
	.30/195 .309 .311	250	25,55	27,3	n/a
	.30/220 .309 .311	250	n/a	30,55	n/a

Kaliber	Gewicht/Größe	Stk.	CLASSIC	EPRX	CEPRX
			CLASSIC (PB) - unbeschichtet, mit Wachs in der Nut geschmiert	EPRX - Boden ist unbeschichtet	CEPRX vollständig beschichtet
.32-40	32-40/170.324 .321	250	23,55	25,05	27,05
.38-40	.38-40/180.401.4 00.402	250	24,05	25,8	27,55